IH PRESSURE JAR

福库IH多功能电压力饭煲

OPERATING INSTRUCTIONS 使用说明书

CRP-LHT10 FUZZY SERIES 1.8L(1-10PERSONS) / 1.8L(1-10人份)





CUCKOOELECTRONICS CO.,LTD.

CONTENTS

영어 사용설명서 English user manual)	•	IMPORTANT SAFEGUARDS SPECIFICATIONS SAFETY PRECAUTIONS FUNCTION OPERATING PART ERROR CODE AND POSSIBLE CAUSE NAME OF EACH PART HOW TO SELECT HIGH PRESSURE MODE OR NON PRESSURE MODE VOICE SETTING	3 4 5~6 11 11 12
		HOW TO COOK HOW TO OPEN COOK HOW TO PRESET TIMER FOR COOKING/REHEATING FUNCTION PRECAUTIONS FOR PRESET COOKING/REHEATING	13 14~15 16 17~18 19
중국어 사용설명서 (中文使用说明书)		安全警告 功能操作部和内锅水刻度的中文标示/语音设定功能 产品部件名称 功能操作部的名称及作用/功能显示部异常检测功能 高压模式或压模式选择方法 煮饭/自动洗涤/简便浸泡功能 中途加料请这样操作 预约煮饭/预约再加热使用方法 预约煮饭/预约再加热时注意事项	7~8 20 21 22 23 24 25 26 27~28
사용하기전에	•	안전상의 경고 각 부분의 이름 제품 손질 방법 / 뚜껑 결합 손잡이의 사용법에 관하여 제품 손질 방법 기능 조작부의 이름과 역할 기능 표시부의 이상점검 기능	9~10 30 31 32 33
사용할때	•	고압모드 또는 무압모드 선택 방법 현재시각의 설정 음성안내 기능의 설정과 해제 야간 음성볼륨 설정 기능 / 음성 설정 기능 취사 전 준비사항 맛있는 법을 드시려면 취사는 이렇게 하십시오, 취사 / 자동세척 / 간편불림은 이렇게 하십시오. 쿠쿠 맞춤취사 기능은 이렇게 하십시오. 현미발아는 이렇게 하십시오, 한미발아는 이렇게 하십시오, 고압찜은 이렇게 하십시오, 노롱지는 이렇게 하십시오, 무로지는 이렇게 하십시오, 무로지는 이렇게 하십시오, 무문지는 이렇게 하십시오, 이유식은 이렇게 하십시오. 이유식은 이렇게 하십시오. 이유식은 이렇게 하십시오. 에약 취사는 이렇게 하십시오. 예약 제가열은 이렇게 하십시오. 법을 맛있게 보온하려면 절전기능 / 에너지아이 기능은 이렇게 하십시오. 화면조명 절전기능 / 버튼 잠금기능 /취사 잔여시간 표시기능은 이렇게 하십시오	34 35 36 37 38 39 40 41 42~43 44 45 46 47 48 49 50~52 53~54 55~57 58
고장신고전에		고장신고 전에 확인하십시오.	60~62
Recipe	0	Recipe	63~69
料理指南		料理指南のことに対しています。	70~75 76~82
CHIONA	21000	8010	10.00

IMPORTANT SAFEGUARDS

- 1. Read all instructions before using this appliance.
- 2. Do not touch hot surfaces. Use handles or knobs.
- 3. To protect against fire, electric shock and / or injury to persons do not immerse cord, plugs, or Pressure
- 4. Close supervision is necessary when this appliance is used by or near children.

 This appliance is not intended for use by young children without supervision.
- 5. Unplug from outlet when not in use and before cleaning.

 Allow appliance to cool before putting on or taking off parts, and before cleaning the appliance.
- 6. Do not operate any appliance with a damaged cord or plug, after the appliance malfunctions, or has been damaged in any manner. Return the appliance to the nearest authorized service facility for examination, repair or adjustment.
- 7. The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electric shock, and / or injury to persons.
- 8. If the supply cord is damaged, it must be replaced by a special cord or assembly available from the manufacturer or your service agent.
- 9. Do not use outdoors.
- 10. Do not let the cord hang over the edge of a table or counter, or touch hot surfaces.
- 11. Do not place on or near a hot gas, electric burner, or in a heated oven.
- 12. Always attach the plug to the appliance first, then plug the cord into the wall outlet. To disconnect, or set all control to "off", then remove the plug from the wall outlet.
- 13. Do not use this appliance for other than its intended use.
- 14. Extreme caution must be used when moving an appliance containing hot oil or any hot liquids.
- 15. Oversized foods, metal foil packages, or utensils must not be inserted into the appliance as they are a risk of fire or electric shock.
- 16. A fire may occur if the appliance is covered or touching flammable material, including curtains, draperies, walls, etc while in operation.
- 17. To reduce the risk of electric shock, cook only in the provided removable container.
- 18. This appliance cooks under pressure. Improper use may result in scalding injury.

 Before operating the unit, properly secure and close the unit. See "Operating Instructions."
- 19. Do not cook foods such as applesauce, cranberries, cereals, macaroni, spaghetti, or other foods. These foods tend to foam, froth, and sputter, and may block the pressure releasing device.
- 20. Before use always check the pressure releasing device for clogging.
- 21. Do not open the pressure cooker until the unit has cooled and internal pressure has been reduced. See "Operating Instructions."
- 22. Do not use this pressure cooker to fry in oil.
- 23. Be sure that handles are assembled and fastened properly before each use. Cracked, broken or charred handles should be replaced.

SAVE THESE INSTRUCTIONS THIS APPLIANCE IS FOR HOUSEHOLD USE ONLY

ADDITIONAL IMPORTANT SAFEGUARDS

WARNING: This appliance generates heat and releases steam during use. Use proper precaution to prevent risk of burns, fires, other injuries, or damage to property.

- 1. Keep hands and face away from the Pressure Release Valve when releasing pressure.
- 2. Take extreme caution when opening the Lid after cooking. Severe burns can result from steam inside.
- 3. Never open the Lid while the unit is in operation.
- 4. Do not use without the Inner Pot in place.
- 5. Do not cover the Pressure Valve with anything as an explosion may occur.
- 6. Do not touch the inner pot nor any heating parts, immediately after use. Allow the unit to cool down completely first.

HOW TO USE EXTENSION CORD

Note:

- A. A short power-supply cord (or cord set) is provided to reduce the hazards from entanglement by a longer cord.
- B. Extension cord should be used properly.
- C. Extension cord usage for the rice cooker:
 - (1) The correct rated voltage should be used for the rice cooker.
 - (2) If the appliance is set on the ground, the extension cord should also be set on the ground.
 - (3) The cord wires and extension cord should always be arranged to prevent hazards to children.

This appliance has a polarized plug: (one blade is wider than the other).

As a safety feature, this plug will fit in a polarized outlet only one way.

If the plug does not properly fit in the outlet, turn the plug over.

If it still does not fit, contact a qualified electrician.

Please, keep this safety feature.

SPECIFICATIONS / 제품규격

	Model Name	e(모델명)	CRP-LHT10 Fuzzy Series		
	Power Supp	oly (전원)	AC120V, 60Hz		
	Power Consump	tion (소비전력)	1295W		
	WHITE RICE(백대	II), SAVORY WHITE RICE(구수한백미)			
	STICI HIGH HEA	(Y WHITE RICE(찰진백미), T STICKY RICE(찰진백미고화력)	0.18L~1.8L(1~10cups)		
	SAVORY I	JLTI GRAIN RICE(잡곡), MULTI GRAIN RICE(구수한잡곡)	0.4014.441.(40=:===)		
	STICKY I HIGH HEAT STICI	MULTI GRAIN RICE(찰진잡곡), (Y MULTI GRAIN RICE(찰진잡곡고화력)	0.18L~1.44L(1~8cups)		
Cooking Capacity (취사용량)	TURE TURBO	BO WHITE RICE(백미쾌속), MULTI GRAIN RICE(잡곡쾌속)	0.18L~1.08L(1~6cups)		
	and the second second	GABA RICE(현미발아)			
	NON PRESSURE WI	HITE RICE(무압백미), VEGGIE RICE(나물밥)			
	SC	CORCHED RICE(누룽지)	0.18L~0.72L(1~4cups)		
	PORRIDGE	THICK PORRIDGE(된죽)	0.18L~0.36L(1~2cups)		
	(영양죽)	THIN PORRIDGE(묽은죽)	0.09L~0.18L(0.5~1cups)		
	Power Cord Lengt	h (전원코드길이)	1.2m		
	Pressure (A	나용압력)	98.0kPa(1.0kgf/cm²)		
	Weight (중량)	8.7kg		
		Width (폭)	30.1cm		
Dimension (치수)		Length (길이)	42.5cm		
		Height (높이)	28.9cm		

^{*} Design and Color of product may be subject to change without notice.

HOW SERVICE IS HANDLED

USA The East and the Central Districts Tel. No. 718 888 9144

The West and the Central Districts Tel. No. 323 780 8808 Canada TORONTO

Tel. No. 905 707 8224 / 416 878 4561

VANCOUVER Tel. No. 604 540 1004 / 604 523 1004

SAFETY PRECAUTIONS

- Read the following product safety guide carefully to prevent any accidents and/or serious danger.
- · 'Warning' and 'Caution' are different as follows.

This means that the action it describes Warning may result in death or severe injury.

This means that the action it describes Caution may result in injury or property damage.



- . This sign is intended to remind and alert that something may cause problems under the certain situation.
- Please read and follow the instruction to avoid any harmful situation.
- · Indicates a prohibition
- Indicates an instruction.





Do not cover the automatic steam outlet or pressureweight with your hand or face.

- It can cause burns.
- · Especially be careful to keep it out of children's reach.

Do not use the cooker near hot things such as stove.gas stove or direct ray of light.

· It can cause an electric shock, fire, deformation, malfunction, or discoloration. Please check the power cord and plug frequeently.

Do not alter, reassemble, disassemble or repair.

- It can cause fire, electricshock or injury.
- · For repair, contact dealeror the service center.

Use a single socket with the rated current above 15A.

- Using several lines in one socket can cause overheating or re. Please check the power cord and plug frequently.
- Use an extension cord with the rated current above 15A.

· Use AC 120V only.

Please pay careful attention against water and chemicals · It can cause an electric shock or fire.

Do not use a rice cooker at a place where dust is

- trapped or chemical material is located. o not use any combustible gas or flammable materials nearby a product.
- · It can cause explosion or fire.

Do not use damaged power cord, plug, or loose socket.

- Please check the power cord frequently for damage.
- · Serious damage can cause electric shock or fire.
- · If the plug is damaged, contact the dealer or a service center.

Do not clean the product with water or pour water in the product.

- · It can cause an electric shock or fire.
- · If it contacts water, please separate power cord and contact dealer and service center.

Do not cover the automatic steam outlet or pressure weight with a duster, a towel, or apron, etc.

- · It can cause deformation or a breakdown.
- · It can cause an explosion by pressure.

Do not use pots that are not designed for the cooker. Do not use abnormal pot and do not use without the inner pot.

- · It can cause an electric shock or fire.
- · Depending on the model, the capacity, shape, material and water scale of the inner pot are different. When purchasing an inner pot, please check the model name of the product.

Do not bend, tie, or pull the power cord by force.

· It can cause an electric shock or short circuit resulting in fire. Please check the power cord and plug frequently.

Do not use it without the inner pot.

- It can cause electric shock or malfunction.
- . Do not nour rice or water without the inner pot.

force until the steam is completely exhausted.

· If rice or water gets in then do not turn the product over or shake it, please contact the dealer or service center.

Do not turn the cover handle to "Non Pressure" while cooking.

. The hot steam or any hot content within the cooker can cause burns. After you finish the cooking do not try to open the cooker by

Do not over unplug and plug the power cord over and over. It can cause an electric shock or fire.

Do not insert metal objects such as pins and wires or any other external substances in the automatic steam exhaust outlet or any other slot.

- It can cause an electric shock or fire.
- · Especially be careful to keep it out of reach of children.

This device is not intended for use by people who lack physical, sensory, and mental abilities or lack the experience and knowledge to safely use the device without supervision or instruction, including children.

- Keep device out of reach of children.
- · Device may cause electric shock, burns, etc

Don't spray or put any insecticides or chemicals.

- · It can cause an electric shock or fire.
- · If cockroaches or any insects get inside the cooker, please call a dealer or a service center.

Don't let foreign substances such as needle, cleaning pin, or metal get in or block the in let/out let pipe or gape.

- · It can cause an electric shock or fire.
- · Do not put a cleaning pin in a gap or a hole of the product except when dearing a steam outlet.

Do not open the LID while in heating and cooking. Never open the lid first, even if it boils over or the steam leaks.

· If you need to open the lid while cooking, keep pressing the cancel button for 2 seconds and confirm internal steam released completely turning the pressure weight over.

Remove a foreign substance on the cord and plug with a clean cloth.

· It can cause fire. Please check the power cord and plug frequently.

Be careful that both the plug and power cord are not to be shocked by animal attack or sharp metal materials.

· Damages by impact can cause an electric shock or fire. Please check the power cord and plug frequently.

SAFETY PRECAUTIONS





Do not use it on a rice chest or a shelf.

- Do not place the power cord between furniture. It can cause an electric shock resulting in fire. Please check the power cord and plug frequently
- When using on furniture be cautious of steam release As it can. cause damage, fire and and/or electric shock.

Do not press heavy things on the power cord. • It can cause an electric shock or fire.

- · Please check the power cord and plug frequently

Do not change, extend or connect the power cord without the advice of a technical expert.

It can cause an electric shock or fire.

Clean any dust or external substances off the temperature sensor and inner pot.

It can cause a system malfunction or fire.

Do not plug or pull out the power cord with wet hands.

It can cause an electric shock

Please contact a dealer or service center when there is a strange smell or smoke.

 First pull out the power cord. And contact dealer or the service center.

Do not use over the maximum capacity.

· It can cause overflow or breakdown.

 Do not cook over stated capacity for cooking of chicken soup and congee.

Do not touch the metallic surface of the inner pot and pressure weight after cooking or warming.

· It can cause burns.

· Remaining hot steam can cause burns when you tilt the pressure weight while and right after the cooking.

Don't use the cooker near a magnetic field. It can cause burns or breakdown.

Do not drop or impact the cooker.

· It can cause a safety problem.

Recommended detergent for inner pot cleaning (inside, outside)

[Available	Unavailable
	Cotton wool, Sponge wool, Microfiber, Mesh wool	Blue, Green scrubber (Abrasive material), Iron, Stain wool, Other metallic materials

· If you do not use a suitable scrubber for cleaning, the inner pot coating may be damaged and peeled off.

Use product on a flat surface. Do not use on a cushion. Please avoid using it on an unstable location prone to falling down.

• It can cause malfunction or a fire. Please check the power cord and plug frequently.

Don't use for various purpose for inner pot. And do not heat up the inner pot on the gas stove.

· It can cause deformation of the inner pot.

· It can cause to spill the inner coating.

Please pull out the plug when not in use.

· It can cause electric shocks or fire.

Please use the cooker for it's intended purpose. It can cause malfunction or smell

After you finish cooking, do not try to open the cooker by force until the steam is completely exhausted.

 The hot steam or any hot content within the cooker can cause hurne

Cautiously open the top cover after cooking is done to avoid dangerous steam and hums

Do not place on rough top or tilted top.

It can cause burns or breakdowns

Be careful to install the power cord to pass without disruption.

Please call customer service if the inner pot coating peels off,

Inner pot coating may wear away after long use.
 When cleaning the inner pot, do not use tough scrubber, metallic scrubber, brush, abrasive metallic etc.

Do not hold the cooker by the inner pot handle.

 It can cause problems and danger. There are portable handles on the bottom right and left side of the cooker. Hold the handles with both hands and move it carefully.

Always turn the cover Handle to

"High Pressure" when not in use.

· It can cause deformation by remaining pressure.

Wine off any excessive water on the cooker after

 It can cause odor and discoloration. Wipe off water that is left behind from dew.

Do not move the product by pulling or using the power cord.

Electric short might cause fire.

In case of a blackout or Standby power blocking switch (TURN OFF) during cooking, steam from a rice cooker will be released automatically.

Thus, the quality of rice is lower than normal. Make sure that the standby power blocking switch is set to (ON) before cooking.

Please start cooking with an indicated amount of rice and water.
 Water can overflow if the amount of water in a pot exceeds the

indicated level of water usage. Please start cooking in a status that steam control cap is installed completely.

Please clean the body and other parts after cooking.

· After cooking chicken soup, multi cook dishes, and etc., the smell may be absorbed.

· Clean the oven packing, top heater plate, and inner pot every time you cook any of those.

· It can cause alteration or smell.

· Use dry kitchen cleaner or sponge to clean the inner pot, since

rough scrub or metallic ones are abrasive to the coating. · Depending on the using methods or user's circumstances inner pot coating might rise. Please call the customer service for those cases

Please, do not pull out the clean steam vent by force.

Be cautious when steam is being released.

· When the steam is released don't be surprised.

Please keep the cooker out of reach of children.


If possible, only use warming function when cooking white rice. Other foods are easily discolored.

When you pull out the power plug, don't pull the power cord. Please, safely pull out the power plug.

If you inflict impact on power cord, it can cause an electric shock or fire.

FUNCTION OPERATING PART/ ERROR CODE AND POSSIBLE CAUSE

FUNCTION OPERATING PART



Error Code and Possible Cause

When the product has any problems or used it inappropriately, you can follow the below marks. If error persistently shows up even in normal using conditions or after taking measure, inquire with customer service.

Problem on fan motor. When the inner pot is not placed into the unit. ("E_F" mark blink.) Problem on temperature sensor. ("E__" mark, "E_P" mark, "E_t" mark blink.) When setting preset time longer than 13 This error code is shown when power is disconnected for 10 minutes (3 Ha) When setting preset time ronger training hours. Set the preset time within 13 hours. while cooking. Press "Cancel" button to reset to Stand-by mode. This error code is displayed when either High Pressure Cooking, Non Pressure Cooking, Keep Warm/Reheat, Reservation, or Auto Clean button is selected while the Lock/Unlock handle is not firmly adjusted to "High Pressure" or "Non Pressure". Firmly turn the Lock/Unlock handle to either "High Pressure" or "Non Pressure" as applicable. This error code is displayed when the smart locking system has It is appears on the display when you press 'PRESSURE COOK' or 'PRESET/AUTO CLEAN' button again, or if the cooking has finished and you've never ever turned the handle to "NON PRESSURE", It can be solved by turning handle to "NON PRESSURE" and then turn to "HIGH PRESSURE". Problem on micom memory. Problem on micom power. E_u This error message shows up when 'PRESSURE COOK' or 'KEEP WARM/REHEAT' button is pressed while separate cover is


for abnormality of power of product.

not mounted. Mount separete cover. While keeping warm, alarm will sound and keeping warm and reheating do not work. This code indicates the function of checking

Problem on environment sensor.

NAME OF FACH PART

NAME OF EACH PART



Pressure Weight

Always keep it horizontal. It stabilizes steam inside of the oven. Pressure weight is twisted. it release steam.

TWIN PRESSURE VALVE

Automatic Steam Exhaust Outlet (Solenoid valve)

steam is automatically released

The Cover Handle

When the cover handle is rotated to "HIGH PRESSURE A "High pressure mode can be selected for cooking, "A NON PRESSURE" position You can select the pressure mode cooking mode

Lid Clamp

Turn handle to "ANON PRESSURE", and then press Clamp knob to open. (Do not press the lid clamp while cooking)

Standby Power Blocking Switch

When the power is not supplied after the power cable is connected, check if the switch is [IIII] (ON).

-Enabled: (ON)
-Disabled: (OFF)
(The standby power is blocked, saving the energy)

*In case of a blackout during cooking, steam from a rice cooker will be released automatically.

Accessories



Manual&Cooking Guide



Rice Scoop



Rice Measuring Cup




Steam Plate



Cleaning Pin · brush kit (Attached on the bottom of the unit)

NAME OF EACH PART



HOW TO SELECT HIGH PRESSURE MODE OR NON PRESSURE MODE / VOICE SETTING

Select High Pressure Mode

Turn the cover handle to "HIGH PRESSURE A ".

- ▶ When the LED of the cover handle lights up in grange and the "HIGH PRESSURE" icon appears on the display panel, you are in the High pressure mode.
- In high pressure mode, you can select only the high pressure menu options.
- ▶ HIGH PRESSURE MENU: White Rice, SAYORY WHITE RICE, Turbo White Rice, Multi Grain Rice, SAYORY Multi Grain Rice, Turbo White Rice, Turbo GABA rice, High-pressure steam, Sticky White Rice, High Heat Sticky White Rice, Sticky Multi Grain Rice, High Heat Sticky Multi Grain Rice. Scorched Rice
- f you want to change the pressure mode from non pressure mode to high pressure mode, turn the cover handle from ">NON PRESSURE" to "HIGH PRESSURE à ".
 - ▶ When the pressure mode is turned from non pressure mode to high pressure mode, only the high pressure menu options will flash for three seconds and the saved high pressure menu will be turned on.



Select NON Pressure Mode

Turn the cover handle to "ANON PRESSURE."

- ▶ When the LED of the cover handle lights up in white and the "NON PRESSURE" icon appears on the display panel, you are in the Non pressure mode.
- ▶ In non pressure mode, you can select only the non pressure menu options.
- NON PRESSURE MENÚ: Non Pressure White rice, Baby food, Easy Cook, Non pressure steam, Porridge, Veggie Rice
- If you want to change the pressure mode from high pressure mode to non pressure mode, turn the cover handle from "HIGH PRESSURE a " to "a NON PRESSURE."
 - ▶ When the pressure mode is turned from high pressure mode to non pressure mode, only the non pressure menu options will flash for three seconds and the saved non pressure menu will be turned on.




If you don't precisely turn the cover handle to "BNON PRESSURE" or "HIGH PRESSURE a" (if you set it to neutral position), you cannot select a menu or Cook.

<With the cover handle in the neutral position>



▶ When the pressure mode is turned from high pressure mode to non pressure mode, only the non pressure menu options will flash for three seconds and the saved non pressure menu will be turned on.



Voice Setting

You may select your preferred voice among, 'Korean, English and Chinese.' The default is Korean.



- 1. Press 'MODE/SET' button 1 time in standby status, and you will enter Voice mode. 'MODE/SET' button needs to be pressed for over 1 second at the first time.
- 2. After setting voice with 'MENU/SELECTION' button, Korean or English or Chinese, and press 'MODE/SET' button.
- 3. If you press 'CANCEL' or do not operate for 7 seconds, setting will be cancelled and you will go back to the standby mode.

HOW TO COOK



Select the desired pressure mode with the lid engagement knob.

- · Make sure that a removable cover is installed
- · Adjust the pressure level before cooking
- · If the correct pressure mode is not selected, the menu can not be selected.
- When the lid fitting is in the high pressure mode, only the high pressure menu is selected. In the nonpressure mode mode, only the non pressure mode menu is selected

< HIGH PRESSURE MODE >

- Every time you press the selection button, White Rice → SAVORY WHITE RICE → Turbo White Rice → Multi Grain Rice → SAVORY Multi Grain Rice → Turbo Multi Grain Rice → GABA rice → High-pressure steam → Sticky White Rice → High Heat Sticky White Rice → Sticky Multi Grain Rice → High Heat Sticky Multi Grain Rice → Scorched Rice
- < NON PRESSURE MODE >
- Every time you press the selection button. Non Pressure White Rice → Raby Food → Fasy Cook → Non. Press Steam → Veggie Rice → Porridge
- In the high-pressure mode, when you press the DIRECT TOLICH button in the menu for Sticky White Rice Sticky Multi Grain Rice, Scorched rice, cooking will proceed
- In the non-pressure mode, when you press the DIRECT TOUCH button in the menu for Vegaie Rice, cooking will proceed
- Sticky White Rice, Sticky Multi Grain Rice menu Within 5 seconds after cooking starts, high cooking power of the menu will proceed when high heat button is pressed
- In the cases of White Rice, SAVORY WHITE RICE, Multi Grain Rice, SAVORY Multi Grain Rice, GARA rice Sticky White Rice, High Heat Sticky White Rice, Sticky Multi Grain Rice, High Heat Sticky Multi Grain Rice, Non pressure white rice, Veogie rice, the menu remains memorized once each cooking is completed, so for continuous use of the same menu, no selection of menu is required.





ex) When selecting White rice



Press the High pressure cook or Non pressure cook button to start cooking.

- Before cooking, in the case of the high-pressure menu. turn the lid-fitting knob to "HIGH PRESSURE A" and press the high-pressure cook button. In the case of the non pressure menu turn the lid-fitting knob to
- ~ NON PRESSURE" and press the non pressure cook button.
- After selecting the high pressure menu, press the non pressure cook button and E01 will appear with a warning sound. After selecting the non pressure menu, press the high-pressure cooking button and E01 will appear with a warning sound.
- . The estimated cooktime is shown for one minute after start.
- Actual cooking time may vary depending on cooking capacity, water temperature and cooking conditions.
- From one minute after starting, the remaining cooktime is displayed for 10 seconds in a regular interval.



26.

When cooking white rice in high pressure mode



Steaming

- . The cooktime remaining on the display is shown from cooking thoroughly.
- . The cook time is different according to the menu. Be careful not to burn yourself from the automatic steam outlet.



The end of cooking

- · When cooking is completed, warming will start with the voice "White rice has been completed".
- · If you want to stop warming. Push 'CANCEL' button for more than 0.3 seconds
- · When cooking ends, stir rice equally and immediately. If you don't stir rice at once and keep it stagnant, rice will go bad and smell bad.
- · If the lid handle is not working well, take out the steam completely out of inner pot by turning over pressure weight.
- · While cooking, do not press cancel button.



ex) In case of 10minutes left.





WHITE RICE	STICKY WHITE RICE	SAVORY WHITE RICE	HGH HEATSTICKY WHITE RICE	MULTI GRAIN RICE	STICKY MULTI GRAIN RICE	SAVORY MULTI GRAIN RICE	HIGHHEAT STICKY MULTI GRAIN RICE	TURBO MULTI GRAIN RICE	GABA RICE (0H)	SCORCHED RICE	NON- PRESSURE WHITE RICE	VEGGIE RICE	THICK PORRIDGE	THIN PORRIDGE	HIGH PRESSURE STEAM	NON PRESSURE STEAM	EASY COOK	BAE FOO
					7802	THOL		111011										

cooking by the menus

COOKI Approx.

NG 25~38

TIME min 27~39 32~43 27~40 12~21 42~53 44~54 49~59 44~55 27~35 54~63 33~37 28~41 28~43 35~55 45~55

Use this function to cook white rice.	STICKY WHITE RICE	Use this function to cook sticky white rice
Use this function to cook savory white rice.	VEGGIE RICE	Used this function to cook rice mixed with vegetables.
Used to cook a variation of mixed or brown rice.	GABA RICE(3H)	Used to cook germinated brown rice.
Used to cook variation of brown rice.		
It is used for soft non-pressure rice without sticking.	STICKY MULTI GRAIN RICE	Use this function to cook sticky mixed rice
For cooking porridge.	NON PRESS STEAM, HIGH PRESS STEAM	Set the steamed time manually and cook at non pressure (1 atm) and high pressure (2.0 atm).
This menu cooks baby food automatically.	SCORCHED RICE	Used to cook scorched rice when cooking is done.
Use this function to cook savory mixed rice.	EASY COOK	Use this function to conveniently cook instant food.
This menu is used to eliminate small soaked after cooking or warming.	HIGH HEAT (Sticky White Rice, Sticky Multi Grain Rice)	Use when cooking more sticky and soothing Cooked Rice (Melanozing effect could be increased.)
(It takes about 13minutes when you cook the Whit Use this turbo cooking function only for cooking ri The result of TURBO WHITE RICE is less than that of	te Rice for 2 perso ice for less than 6 ordinary WHITE RI	persons. CE, thus only use TURBO WHITE RICE for 6 cups or less.
	Use this function to cook savory white rice. Used to cook a variation of mixed or brown rice. Used to cook variation of brown rice. It is used for soft non-pressure rice without sticking. For cooking porridge. This menu cooks baby food automatically. Use this function to cook savory mixed rice. This menu is used to eliminate small soaked after cooking or warming. If selected turbo white rice, total cooking time will (It takes about 13minutes when you cook the White Use this turbo cooking function only for cooking inthe rice of URBO WHITE RICE is less than that of TURBO WHITE RICE is less than that of	Use this function to cook savory white rice. Used to cook a variation of mixed or brown rice. Used to cook variation of brown rice. It is used for soft non-pressure rice without sticking. For cooking porridge. Non PRESS STEAM. HICH PRESS STE

TURBO MULTI If selected turbo mixed rice, total cooking time will be reduced.(It takes about 26minutes for cooking MULTI GRAIN RICE for 2 persons.)

GRAIN RICE - Turbo mixed rice cooking lessens the quality of food, so only use for less than 6 people.

* After cooking in white rice turbo mode or cooking of small serving, discard water.

How to use AUTO CLEAN (Steam Cleaning)



Put water until water scale AUTO CLEAN, make sure to close and turn the cover handle to the "HIGH PRESSURE A" or "ANON PRESSURE".

Method
1. Coupling Handle toward "HIGH PRESSURE & ", or " NON

PRESSÜRE"

2. During Stand-by mode, press the Auto Clean/Lock button to select auto clean, and then press "High Pressure Cooking" button for High Pressure Mode or "Non Pressure Cooking" button for Non Pressure Mode to start cleaning.

Simple Soft Function

You can soak grains before stating cooking by setting a desired time with this function.

▶ Setting Method









- 1. To activate the Simple Soft Function, press "PRESET" button within 5 seconds right after. CUCKOO started the menu for GLUTIN. for White Rice, SAVORY WHITE RICE, Turbo White Rice, Multi Grain Rice, SAVORY Multi Grain Rice, Turbo Multi Grain Rice, Sticky White Rice, High Heat Sticky White Rice, Sticky Multi Grain Rice, Sticky Multi Grain Rice, Sticky Multi Grain Rice, Veggie Rice.
- To change the soaking time, press'PRESET'button in simple Soft Function: the time setting can change from 10 to 30 minutes, 60 minutes, and No Soaking Time.
- If you do not press any button for more than 5 seconds while setting the soaking time, it will be automatically set back to the current soaking time, After the soaking time is over, the cooking will start.
 - * Soaking time is counted by 1 minute unit.
 - * If you unlock the lid Handle during the simple Soaking Function, the cooking will be canceled.
 - * The longer the soaking time, the melanoizing phenomenon.

Melanoizing phenomenon

The cooked rice can be light yellow at the bottom of the oven, because this product is designed to improve pleasant flavor and taste. Especially, melanoizing is more serious at the "Preset cooking" than just "Cooking". It does not mean malfunction.

** When mixing other rice with White rice, Melanoizing phenomenon could increase more than "White rice" setting.


HOW TO OPEN COOK

What is open cooking?

Open cooking is a function that allows the user to release the smart locking device, during a non pressure cooking process, and add ingredients or stir the contents in the pot.

How to use open cooking function.

1 During a non pressure menu cooking, select the Setting/Open Cooking button.



< Button Indication >

Wait until the smart locking device is released.

It takes 5 to 60 seconds for the smart locking device to be released.



< Remaining Time under released locking device >

Once the display on the right appears, open the lid and add ingredients or stir the contents.



▶ An audible instruction of "Please open the lid" is provided.

▶ Do not press the Open Lid button when the smart locking device remaining time is displayed or during cooking.

Only press the Open Lid button when the Add Ingredients Indicator is activated.

< Add ingredient indication >

4 After opening the lid, close the lid within 3 minutes.

Cooking will be canceled if the lid is kept open for more than 3 minutes.



< Cooking process indication >

ACAUTION

Cautions for open cooking

- Do not exceed the designated capacity.

 If the designated capacity is exceeded, the appliance may overflow due to boiling.

- While the lid is open, the inner pot will not be heated.

- Burn Hazard! Do not remove the detachable cover.

 Close the lid only when the inner pot and detachable cover are properly assembled.

Pressing lid clamp knob when the smart locking device is activated may cause damage to the appliance. Only press the Open Lid button when the Add Ingredients Indicator is activated.

Contact Cuckoo Customer Service center when the appliance does not properly work.

- When the lid does not open after open cooking or non pressure cooking is completed.

Press the cover as shown on the right to unlock the smart locking device, and then push the clamp knob to open.

HOW TO PRESET TIMER FOR COOKING / REHEATING FUNCTION

How to preset timer for cooking

For example, if it is nine o'clock in the evening and you want to have warm breakfast at seven forty the next morning.

- Make sure that the current time is correct.
 - ▶ If the current time is not set correctly, the presetting time will also be incorrect.
 - ▶ Please be careful not to change from AM to PM.



Turn the Cover Coupling Handle toward "HIGH PRESSURE A " or "NON PRESSURE" and press the PRESET



- ▶ The preset time is set to 06:30 AM when the product is delivered from the factory.
- ▶ In the high pressure mode, the preset timer function is not set for GABA RICE(3H), TURBO WHITE RICE, TURBO MULTI GRAIN RICE menu
- * To select a preset timer for cooking during Keep Warm mode, press the Cancel button to abort Keep Warm and configure the preset timer.





- Press the SET button, and press the SELECTION button to set the preset time.
 - ▶ The preset time is increased by 10 minutes each time you press the ">" Button
 - ▶ The preset time is increased by 10 minutes each time you press the " < " Button
 - * Please be careful not to change from AM to PM.





Press the SELECTION button to select the desired menu.



- Press the HIGH PRESSURE COOK or NON PRESSURE COOK button.
 - Once cook is completed with preset time, preset time is stored in the memory. Don't need to set up time again.
 - * If a small amount of rice is cooked, it could be finished earlier than time you programmed it.



HOW TO PRESET TIMER FOR COOKING / REHEATING FUNCTION

How to use Preset Reheating function


- ▶ Use this function when the cooked rice is not kept warm in the rice cooker but you still want to enjoy a hot meal at your convenience.
- ▶ It takes 3hours before it's fully warmed up: Please use the function at least 3hours before you enjoy your meal.

For example, if it is nine o'clock in the evening and you want to have warm breakfast at seven forty the next Morning.

- Make sure that the current time is correct
 - Please make sure that the current time is correct so that the reheating process ends on time.
 - ▶ Do not get confused between morning and afternoon.




▶ Precisely turn the cover handle to select the high pressure mode before using the 'PRESET/AUTO CLEAN' function.







- 3 Press the 'KEEP WARM/REHEAT' button and Preset Reheating mode begins.
 - ▶ The Preset time is set to 06:30 AM when the product is delivered from the factory. If you want to preset reheating to this time, it is not required for you to set the time.





- 4 Press the 'MENU/SELECTION' button to preset the completion time of reheating.
 - ► The completion time is increased by 10 minutes each time you press the " > " button.
 - ▶ The completion time is decreased by 10 minutes each time you press the "<a> " button. If you keep pressing the button and the time changes continuously (repetition is allowed).
 - * Do not get confused between morning and afternoon.





5 Press the 'SET' button.

is displayed.

- 6 Press the 'KEEP WARM/REHEAT' button.
 - ▶ Reheating is completed as scheduled.
 - ▶ The cooker memorizes the hour that you have preset: You may press the 'KEEP WARM/REHEAT' button directly without having to preset the time again from the beginning.

PRECAUTIONS FOR PRESET COOKING / REHEATING

Precautions for preset cooking / reheating

In case of preset cooking

- ▶ If the rice is old and dry, the result may not be good.
- ▶ If the rice is not well cooked, add more water by about half-scale.
- ▶ If the preset time is longer, melanization could be increased.
- ▶ Rinsed rice has a significant amount of sedimented starch, which may cause burning during preset timer cooking.
 To reduce scorching, cook washed rice by rinsing in running water or reduce cooking amount.

2 In case of preset reheating

- When leaving cooked rice at ambient temperature for a prolonged period of time, moisture is evaporated from cooked rice. In such a case, the reheating preset may cause dehumidifying or melanosis (slightly burnt) of cooked rice.
- ▶ If there is an excessive amount of cooked rice in the pot, it may not sufficiently be reheated. It is recommended to set reheating for no more than three people(approx. half of the inner pot).
- Reheating of cold- or frozen-stored cooked rice may cause insufficient heating, dehumidifying or melanosis (slightly burnt) after completion of reheating.
- ▶ Put cold-stored cooked rice into the inner pot, beat rice with a scoop, and then reheat rice.
- ▶ Reheating of frozen-stored cooked rice shall be performed only after thawing the rice.

Changing preset time

▶ Press 'CANCEL' button for more than 0.3 seconds and restart it to change the preset time.

4) If the preset time is beyond the available range

- ▶ If the preset time is shorter than cooking time, cooking will immediately begin.
- ▶ If the preset time is shorter than the available range(3hours), reheating will begin immediately.

In case the preset time is over 13 hours.

- "13Ho " will be displayed and the preset time will be changed to 13 hours automatically. If cooking is preset to AM07:00 of the following day at PM5:00 of the day, where preset time is 14 hours, "13Ho" will be displayed, and preset time automatically changes to AM06:00. (Maximum preset time is 13 hours)
- If the preset time is over 13 hours, it can cause bad smell. The limited preset time is set up less than 13 hours because the rice spoils easily during the summer time.
- * Use Preset Cooking function when you want to finish cooking between 1 hour to 13 hours based on the preset time.
- * Use Preset Reheating function when you want to finish cooking between 3 hours to 13 hours based on the preset time.
- ** If you press the set button to check the present time during the preset cooking function, the present time will be displayed for 2 seconds.

		P	ossible	e time	setting	for ea	ach me	nu		
Menu Class	WHITE RICE	STICKY WHITE RICE	SAVORY WHITE RICE	HIGH HEAT STICKY WHITE RICE	MULTI GRAIN RICE	STICKY MULTI GRAIN RICE	SAVORY MULTI GRAIN RICE	HIGH HEAT STICKY MULTI GRAIN RICE	TURBO WHITE RICE	TURBO MULTI GRAIN RICE
Possible time Setting	From 43minutes to 13hours	From 44minutes to 13hours	From 48minutes to 13hours	From 44minutes to 13hours	From 58minutes to 13hours	From 59minutes to 13hours	From 64minutes to 13hours	From 60minutes to 13hours	NO PRES	ET function
Menu	GABA RICE (0H)	SCORCHED RICE	NON- PRESSURE WHITE RICE	VEGGIE RICE	THICK PORRIDGE	THIN PORRIDGE	HIGH PRESSURE STEAM	NON PRESSURE STEAM	EASY COOK	BABY FOOD
Possible time Setting	From 68minutes to 13hours	From 42minutes to 13hours	From 46minutes to 13hours	From 48minutes to 13hours		From	n (My mode +	1minute) to 13	shours	

Recipe	Set Time	Menu Mode	Ingredients	Directions	
Boiled Rice		White	Rice 10 cups *The "cup" in ingredients means a measuring cup in the rice cooker. 1 cup (180cc) is for one person.	Put clean-washed rice in the inner pot and pour water up to the line for White Rice. (Bolled Rice: 10, Pea Rice: 3)	
Pea Rice		Rice	3 cups of rice, 1/2 cup of pea, 1 tablespoonful of sake, 1 1/2 teaspoonful of salt. ** Boil pea before cooking.	Lock the lid, Lock the lid, and select "White Rice, in the menu, and then push the HIGH PRESSURE COOK button.	
Booled Barly	SEED TO A SEED OF THE SEED OF	Multi Grain	2 cups of rice, a cup of barley	Drain the grains after washing. Put clean rice with prepared ingredients with some salt and pour water up to the line 3 for Multi Grain Rice. Lock the lid, and select "Multi Grain Rice, in the menu, and then push the HIGH PRESSURE COOK button.	
Five-grain Rice	populari – posino	Rice	Rice 2+1/3cups, millet 1/3cup, glutinous Rice 2/3cup, red beans 1/3cup, Sorghum 1/3cup and salt 1 teaspoon	Drain the grains after washing. Put Clean rice with prepared ingredients with some salt and pour water up to the line 4 for Multi Grain Rice. Lock the lid, and select "Multi Grain Rice, in the menu, and then push the HIGH PRESSURE COOK button.	
Boiled Brown Rice with Red Beans	es inabili) es per cis rei franc es actives	engling del sale flat in e no est in las salo official	Brown rice 1 cup, rice 2 cups and red beans 1/3 cup	Wash and put brown rice into the inner pot. Pour water up to the line 3 for GABA rice. Lock the lid, and select "GABA Rice, in the menu, and then push the HIGH PRIESSURE COOK button.	
Boiled Fresh Germinated Brown Rice		GABA Rice	Brown rice 6cups	Wash and put brown rice and prepared ingredients into the inner pot. Pour water up to the line 6 for GABA rice. Lock the lid, and select 'GABA Rice, in the menu, and then push the HIGH PRESSURE COOK button.	
Green Tea Rice Blended with Chicken Chest Flesh				2 cups of brown rice, 3g of green tea leaf, 10g of green tea powder, 4 nuggets of chicken chest flesh, a little bit of olive oil, a little bit of salt, a little bit of pepper, 5g of celery, a little bit of ime, a little bit of rosemary	
Mushroom Tian	3Hours				2 cups of brown rice, 20g of brown gravy sauce, a little bit of sait, 2 sheets of sesame leaves, 1/3 pieces of pumplin, a pack of shimej mushroom # Mushroom may be chosen as preferred in the family.
Saessak Bibimbap (rice with sprout and vegetables)			2 cups of brown rice and some sprouts and vegetables. ** Seasoning red pepper paste: Red pepper paste 1/2cup, beef (crushed)40g, sesame oil 1 tablespoon, honey 1 tablespoon and sugar 1 tablespoon, 1/3 cup of water	and the state of the controller.	
Rice cooked with bean sprouts		Veggie Rice	3 cups of rice(450g), bean sprouts 150g Sauce: 4 tablespoons of soy sauce, 1/2 tablespoons of red chill powder, 2 teaspoon of sesame salt, 2 tablespoons of chopped green onion, 1/2 tablespoons of minced garlic, 1 teaspoon of sesame oil	Put the rinsed rice in an inner pot, pour water to the scale 3 of NON P GLUTIN, and put ingredients. Close the lid and turn the handle to "Non Pressure" mode.	
Rice with white radish	100 - 200 L	11100	3 cups of rice(450g), radish 150g Sauce: 4 tablespoons of soy sauce, 1/2 tablespoons of red chili powder, 2 teaspoon of searme salt, 2 tablespoons of chopped green onion, 1/2 tablespoons of minced garlic, 1 teaspoon of searme oil	3. After selecting 'Veggie Rice _s , press NON PRESSURE COOK button. 4. After cooking, eat it with sauce. - -	

Recipe		Time Non P Steam	Menu Mode	Ingredients	Directions				
White Porridge	Canada Para Para Para Para Para Para Para P		Porridge	Rice 0.5-2.0 cup	1. Put the prepared ingredients in the inner pot and pour water up to the appropriate line depending on the quantity of food to be served. Thick Porridge - Rice 1cup(150g): Pour water up to the line 1 for Thick Porridge. Rice 1.5cup(25g): Pour water up to the line 1.5 for Thick Porridge. Rice 2.0cup(300g). Pour water up to the line 1.5 for Thick Porridge. Thin Porridge - Rice 0.5cup(75g): Pour water up to the line 0.0 for Thick Porridge. Thin Porridge - Rice 0.5cup(75g): Pour water up to the line 0.5 for Thin Porridge. 2. After selecting 'Porridge, press NON PRESSURE COOK button. Thick Porridge 1cup: 35M/furtes, Thick Porridge 15cup: 50M/furtes. Thick Porridge 2.0cup: 55M/mates. Thin Porridge 0.5cup: 45M/mates. Thin Porridge 1cup: 55M/mates.				
Pine Nut Porridge	45 M	inutes		Rice 1 cup, pine nut 1/2cup and some salt					
Abalone Porridge	40 M	40 Minutes		40 Minutes		40 Minutes		A cup of rice, 1 tablespoonful of sesame oil, 1 piece of abalone, a little bit of salt	1 1. Put the prepared ingredients in the inner pot and pour water up to
Special Chicken Porridge	45 Minutes		11 45 Minutes			Rice 1cup, Chicken 100g, chicken soup 300cc, green pepper 1 unit, red pepper 1 unit and some salt	the appropriate line depending on the quantity of food to be served. Pine Nut Porridge, Special Chicken Porridge, Red Bean Porridge. Pour water op to the line 1.5 for Thick Porridge/ Abalone Porridge: Pour water op to the line 1 for Thick Porridge/ Delay Selecting Porridge, press NON PRESSURE COOK button.		
Red Bean Porridge	45 M	linutes	ent i verse Swape sec	Rice 1 cup, 1/3 cups of red bean, 2/3cup of glutinous rice					
Steamed Rice Cake	45Min	45Min		5 cups of nonglutinous rice, 2 cups of red beans, 1 tablespoonful of salt, 5 tablespoonful of sugar and 3 tablespoonful of water					
Steamed Rib	40Min	60Min	1	Beef rib port rib 1.2kg, sake 3 tablespoons, nicely aged soy sauce 5 tablespoons, crushed garlic 1 tablespoon, seame oil 1 tablespoons, onioni juice 3 tablespoons, pear juice 3 tablespoons, sugar 3 tablespoons, cropped scallion 5 tablespoons, ground seame mixed with salt 1 tablespoon, ground seame mixed with salt 1 tablespoon, ground pepper 1 teaspoon, carrot 1 unit, chestnut 10 units, ginkgo nut 20 units and ground prine nuts 1 tablespoon.	1. Put the prepared ingredients in the inner pot. 2. Close the lid, turn the handle to high pressure mode, press Menu button and select (high Pressure Steam). Then set the cooking time and press Cooking with [High Pressure Cook] button. 3. Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam].				
Steamed Chicken	45Min	50Min	High/	1 chicken (1 kg), potato 100g, carrot 100g, sugar 3 tablespoon, chopped scallion 1 tablespoon, crushed garlio 1 tablespoon, nicely aged soy sauce 6 tablespoons, ginger juice 1 tablespoon, ground pepper 1/2teaspoon, ground sesame mixed with salt 1 tablespoon and sesame oil 1.5 teaspoons.	Then set the cooking time and press [Non Pressure Cook] button.				
Boiled Pork	30Min	45Min	Non Press Steam	Pork (shank or pork belly) 400g, ginger 1EA, some garlic, onion 1EA, scallion 1EA and some kimchi					
Five-flavor Pork	40Min	55Min	Steam	700g of pork, 1/3 cup of soy sauce, 2 tablespoonful of sugar, a little bit of silk yarn Five flavors : 6 grains of black pepper, 7cm of cinnamon, 4 pieces of star anise	Put the prepared ingredients in the inner pot.				
Hard-boiled Cuttlefish	20Min	30Min		2 squid fish, 140g of spirach, 150g of carrot, 2 egg, a little bit of salt, a little bit of seasme oil, a little bit of of wheat powder Seasoning Sauces: 2 tablespoonful of red pepper paste, 2 tablespoonful of soy sauce, 1 tablespoonful of sugar, 1 tablespoonful of fefined rice wine, 1 teaspoonful of sessame oil, 1 teaspoonful of red pepper powder	Close the lid, turn the handle to high pressure mode, press Menu button and select [High Pressure Steam]. Then set the cooking time and press Cooking with [High Pressure Cook] button. Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam]. Then set the cooking time and press [Non Pressure Cook] button.				
Steak	25Min	35Min		Beef (for steak) 500g, some steak sauce, some salt and some ground pepper					
Steamed Blue Crab	30Min	30Min		Blue crab 2EA, beef 150g, tofu 1/2 block, red/green pepper each 1/2EA, yolk 1/2EA and some flour					

	Set	Time	Menu		
Recipe	High P Steam	Non P Steam	Mode	Ingredients	Directions
Steamed Fish	25Min	45Min		Snapper 1EA beef 50g, shiftake 3EA, stone mushroom 2EA, red pepper 1EA, egg1EA, some scallion, some garlic, some soy sauce, some ground sesame mixed with salt, some cocking oil, some sesame oil, some salt and some gro	
Steamed Clam	35Min	35Min		4 clams, 30g of beef, egg white 1EA, egg 1EA, 2 teaspoonful of minced Welsh onion, 1 teaspoonful of minced garlic, 1/2 teaspoonful of salt, a little bit of pepper grounds	Put the prepared ingredients in the inner pot.
Steamed Bean Curd	15Min	25Min	1957 (1951) 20 (1951) 10 (1957) 10 (1957)	1 set of bean curd, a little bit of salt Seasoning Sauces: 1 tablespoorful of red pepper powder, 1 tablespoorful of minced garlic, a root of Welsh onion, a little bit of sesame oil, a little bit of ground sesame mixed with salt, a little bit of shredded red pepper, 3 tablespoonful of thick soy	Close the lid, turn the handle to high pressure mode, press Menu button and select [high Pressure Steam]. Then set the cooking time and press Cooking with [High Pressure Cook] button. Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam]. Then set the cooking time and press.
Multi-Flavor Glutinous Rice	30Min	40Min		3 cups of glutinous rice, 60g of raisin, 15 hestruts, 10 dates, 1tablespoonful of pine nut, 100g black sugar, 1 tablespoonful of thick soy, 3 ablespoonful of sesame oil, a title bit of salt, 1/2 tablespoonful of cinnamon powder	[Non Pressure Cook] button.
Japchas (sir-fried vegetables, and shredded meat)	20Min	20Min		Cellophane 250g, paprika (green, red) each 1EA, carrot 100g, onion 100g, some spinach, enoki mushroom 100g, fishcake 100g and cooking oil 2 tablespoons	
Steamed Dumpling	15Min	20Min		Dumplings 20EA	
Steamed Eggplant	15Min	15Min	High/ Non	2 pieces of eggplants Seasoning Sauces: 2 tablespoonful of thick soy, 1 red pepper, 1 green chilli, 1/2 tablespoonful or tred pepper powder, 1 tablespoonful of vinegar, a little bit of ground seasme mixed with salt, 1/2 pieces of Welsh onlor, 4 pieces of gerfic, 2 teaspoonful of sugar	Pour 1.5cups of water in the inner pot and place the steam plate
Steamed Pumpkin	15Min	15Min	Press Steam	1 pumpkin Seasoning Sauces: 2 tablespoonful of thick soy, 1 tablespoonful of mined Wilsth onion, 1/2 tablespoonful of seasme oil, 1/2 table tablespoonful of red pepper powder, altitle bit of shredded red pepper, 1 teaspoonful of sugar, 1 tablespoonful of mined galric, 1/2 tablespoonful of ground seame mixed with salt	Put the prepared ingredients on top of the plate. 2. Close the lid, turn the handle to high pressure mode, press Menu button and select (High Pressure Steam). Then set the cooking time and press Cooking with (High Pressure Cook) button. 3. Close the lid, turn the handle to non pressure mode, press Menu button and select (Non Pressure Steam). Then set the cooking time and press
Steamed Chestnut	25Min	40Min		Chestnut 30EA	[Non Pressure Cook] button.
Steamed Sweet Potato	25Min	40Min		Sweet potato 5EA ** When sweet potato is large (more than 150g), cut it into two pieces.	
Steamed Potato	40Min	40Min		Potato (less than 200g) 6EA	
Steamed Com	40Min	55Min		Com 4EA	
Boiled egg	15Min	25Min		10 eggs, 4 cups of water, 1-2 drops of vinegar	Put the egg, vinegar and water in the inner pot. Close the lid, turn the handle to high pressure mode, press Menu button and select [High Pressure Steam]. Then set the cooking time and press Cooking with [High Pressure Cook] button. Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam]. Then set the cooking time and press [Non Pressure Cook] button.
Steamed egg	20Min	20Min		3 eggs, 1.5 cups of water or kelp water(270ml), 1/2 tablespoon of salted shrimps, pinch of salt, 15g of carrot, 15g of green onion	1. Mix egg and water or water in a bowl and add finely chopped carrots and green onions. (chop pickled shrimp finely and add sa 2. Close the lid, turn the handle to high pressure mode, press Menu button and select [High Pressure Steam]. Then set the cooking time and press Cooking with [High Pressure Cook] button. 3. Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam]. Then set the cooking time and press [Non Pressure Cook] button.

	Set Time Menu Ingredients		In waste as to	Directions	
Recipe	High P Steam	Non P Steam	Mode	Ingredients	Directions
Rice cake gratin	20Min	20Min		100g of rice cake for tteokguk, 1 boiled egg, 1 sweet potato, 40g of mozzarella cheese, 2 slice of cheddar cheese, some olive oil, 1/2 cup of white sauce, some parsley powder Write sauce: 20g of flour, 20g of butter, 200g of milk, pinch of salt and white pepper	
Shrimp ketchup fried	15Min	15Min	High/ Non	15 medium size shrimps, 1/3 green onion, 30g of onion, 30g of carrot ** Ketchup sauce : 4 tablespoons of ketchup, 1.5 tablespoon of sugar, 1.5 tablespoon of starch powder, 1.5 tablespoon of water, pinch of salt, soy sauce, and pepper powder	Put the prepared ingredients in the inner pot. Close the lid, turn the handle to high pressure mode, press Menu button and select [High Pressure Steam]. Then set the cooking time and press Cooking with (High Pressure Cook) futton.
Rice pizza	20Min	20Min	Press Steam	* Dough ingredients : 100g of rice * Topping ingredients : 4 slices of ham, 4 button mushrooms, 4 tablespoons of canned com, 2 stick of crahmeat, 80g of mozzarella cheese, 8 tablespoons of pizza sauce	Close the lid, turn the handle to non pressure mode, press Menu button and select [Non Pressure Steam]. Then set the cooking time and press [Non Pressure Cooking time.]
Butter choco late cake	45Min	45Min		200g of butter, 90g of sugar, 3 eggs, 110g of pancake powder, 70g of chocolate	
Tteokbokki (spicy and sweet rice cake)	15Min	20Min		300g of rice cake bars (soft), 3 pieces of fish cake, 1/3 onion, 1/3 green onion, 60g of carrot "marinade: 1.5 tablespoons of red pepper paste, 1.5 tablespoon of starch syrup, 1.5 tablespoon of sugar, 1/2 tablespoon of seame salt, 1/2 tablespoon of sy sauce, 1/2 cup of anchovy water	

Recipe	Set Time	Menu Mode	Ingredients	Directions					
Steamed Bun (Ho-bbang)	17Min	and of skiller	Frozen Steamed Bun (4EA)	1. Add 1 cup(180m) of water to the inner pot. 2. Insert the steam plate inside the inner pot and place the steamed buns on top of the plate. 3. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook] 4. Set the convenient food cooking time to 17 minutes and press the Non Pressure Cook button. 5. Once cooked, the steamed buns are hot, take caution.					
Fried Shrimp Rice	15Min	and of House, and of the special section of the special sec	Frozen Fried Shrimp Rice; served for 1–2 (420g), Olive Oil 1 Table spoon	Apply one table spoon of olive oil to the inner pot and pour the frozen fried shrimp rice. Close the lid and turn the LockUnlook handle to the "Non pressure" position. Use the Select button to select "Easy Cook]. Set the convenient food cooking time to 15 minutes and press the Non Pressure Cook button. In minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" instruction, open the lid sit the contents, and close the lid. Once completed, mix the contents and enjoy your meal.					
Doenjang Jjigae (Bean Paste Stew)	12Min								Doenjang Jijgae, served for 6(1380g)
Chicken Feet	13Min	ani of tonesti positi prablem i cot medi positi	Fully cooked frozen chicken feet, served for 1 (160g), Olive Oil 1 table spoon	Apply one table spoon of olive oil to the inner pot and place the frozen chicken feet. Closes the lid and furm the LockUnlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook", Set the convenient food cooking time to 13 minutes and press the Non Pressure Cook button. Once completed, place the food on a dish.					
Soondae (Korean sausage)	15Min	Easy Cook			Soondae, served for 2 (500g)	Add 1cup(180ml) of water to the inner pot. Insert the steam plate inside the inner pot and place the soondae on top of the plate. Ocase the ide and turn the Lock/Unicok handle to the "Non pressure" position. Use the Select button to select. "Easy Cook."]. Set the convenient food cooking time to 15 minutes and press the Non Pressure Cook button. Once cooked, the soondae is hot, take caution.			
Chicken Drumsticks	30Min		Frozen Chicken Drumsticks 14EA (540g), Olive Oil 2 table spoon	1. Apply Two tablespoon of olive oil to the inner pot and place the frozen chicken drumsticks in a manner they do not overlay each other. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook.] 3. Set the convenient food cooking time to 30 minutes and press the Non Pressure Cook button. 4. 10 minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" in "studiotion, open the lid turn around each chicken drumstick, and close the lid. 5. Once completed, place the food on a dish.					
Pizza	20Min				Frozen Pizza 1 slice (80g), Olive Oil	Slightly apply olive oil to the inner pot and place the frozen pizza. (The entire bottom of the slice should be evenly placed on the inner pot for the uniform cooking) Closes the idan drum the Lock/Unlock hardle to the "Non pressure" position. Use the Select button to select "Easy Cook」. 3. Set the converient bod cooking time to 20 minutes and press the Non Pressure Cook button. 4. Once completed, enjoy your pizza with a crispy dough.			
Clam Chowder Soup	11Min	estrini de est Gran Reside Janus Pestra L	Clam Chowder Soup, served for 3 (690g)	Pour the Clam Chowder Soup into the inner pot. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select. "Fasy Cooky". Set the convenient food cooking time to 11 minutes and press the Non Pressure Cook button. Once completed, enjoy your warm soup.					
Samgyetang (chicken soup)	13Min	EMPLICATION OF THE PROPERTY OF	Fully cooked Samgyetang, served for 4 (1200g)	1. Pour the Samgyetang into the inner pot. 2. Close the lid and turn the Lock/Unjock handle to the "Non pressure" position. Use the Select button to select "Easy Cook』. 3. Set the convenient food cooking time to 13 minutes and press the Non Pressure Cook button. 4. Once completed, enjoy your warm samgyetang. For samgyetang products in which a full chicken is served, cut the chicken in half to make sure the glutinous rice is placed on the bottom of the inner pot. Add 1 cup (180m) of water and cook.					
Bread Rolls	6Min	20 (a) 2003 - USA	Bread Rolls 6EA (165g)	Place the bread rolls in a manner they do not overlay each other. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select. "Easy Cook! Set the Convenient food cooking time to 6 minutes and press the "Non Pressure" Cook button. Once completed, enjoy your warm bread rolls with jam and/or whipped cream.					
Sagolgomtang (Beef Stoke Soup)	13Min	ko bila apelen 197 a ilanea 1884a - Yoli	Sagolgomtang, served for 6 (1500g)	1. Pour the Sagolgomtang into the inner pot. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Fasy Cook] 3. Set the convenient food cooking time to 13 minutes and press the Non Pressure Cook button. 4. Once completed, enjoy your warm sagolgomtang.					
Makchang (Abomasum)	13Min	Salayan Pala Libera Alas II Libera George	Fully cooked frozen makchang, served for 1 (160g), Olive Oil 1 table spoon	1. Apply one table spoon of olive oil to the inner pot and place the frozen makchang. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Fasy Cook; 3. Set the convenient food cooking time to 13 minutes and press the Non Pressure Cook button. 4. Once completed, place the food on a dish.					

Recipe	Set Time	Menu Mode	Ingredients	Directions	
Gimchijjigae (Gimchi stew)	10Min		Gimchi Jjigae, served for 6 (1380g)	1. Pour the Gimchi Jijgae into the inner pot. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 10 minutes and press the Non Pressure Cook button. 4. Once completed, enjoy your warm gimchi jijgae.	
Beef Porridge	10Min	Easy Cook		Beef Porridge, served for 6(1350g)	1. Pour the Beef Porridge into the inner pot. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 10 minutes and press the Non Pressure Cook button. 4. Once completed, enjoy your warm beef porridge.
Gookmul Ddeokbbokki (soupy spicy rice cake)	21Min				Water 500ml, Rice cake 600g, Prepared sauce 240g, Topping (spring onion) 7.5g
Soondoobu Soojaebi Jjigae (dough flake stew with soft tofu)	21Min		Water 700ml, Soondcobu Soojaebi Jijgae served for 4 (1,340g)	1. Add 700ml of water, dough flakes and sauce to the inner pot in firmly mix the contents. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 21 minutes and press the Non Pressure Cook button 4.3 minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" instruction, open the lid, add the remaining ingredients (soft tofu, spring onions, oyster mushrooms, ham), and close the lid. 5. Once completed, enjoy your warm Soondoobu Soojaebi Jijgae.	
Mushroom Stew	13Min	0001	Water 525ml, Mushroom Stew served for 2 (440g)	1. Add water 525ml and the seasoning pack to the inner pot. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 13 minutes and press the Non Pressure Cook button. 4. 3 minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" instruction, open the lid, retrieve the seasoning pack and add the remaining ingredients (vegetables, tofu, sauce), and close the lid. 5. Once completed, enjoy your warm Mushroom Stew.	
Budae JJigae (Sausage Stew)	18Min		Water 900ml, Boodae Jijgae served for 2 (600g, excluding ramyeon)	1. Add 900ml of water, dough flakes and sauce to the inner pot. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 18 minutes and press the Non Pressure Cook button 4.3 minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" instruction, open the lid, add the remaining ingredients (ham, vegetables, gimchi), and close the lid. 5. Once completed, enjoy your warm Boodae Jilgae.	
Dumpling Stew	27Min	A SECONDARY OF THE SECONDARY OF T	Water 850ml, Dumpling Stew served for 4 (780g)	1. Add 850ml of water, Flat Noodles, Dumplings and vegetables to the inner pot in sequence. 2. Close the lid and turn the Lock/Unlock handle to the "Non pressure" position. Use the Select button to select "Easy Cook, 3. Set the convenient food cooking time to 27 minutes and press the Non Pressure Cook button. 4. 10 minutes after the cooking starts, press the open cooking button. Once you hear the "Please open the lid" instruction, open the lid, stir the contents so that the noodles do not stick to each other, and close the lid. 5. Once completed, enjoy your warm Dumpling Stew.	

Recipe	Set Time	Menu Mode	Ingredients	Directions
Sweet Pumpkin Soup	30min		Sweet pumpkin 200g, bread crumbs 2 tablespoons, water 3/4cup(136ml), some salt and some milk	1. After selecting well-ripened yellow sweet pumpkin, peel its skin and remove its seeds, then cut it into thin stices and rines them with water. 2. Place the recipe no. I and with 2 tablespoons of bread crumbs and 3/4cup(135mi) of water in the inner pot. 3. Close the lid and turn the handle to "Non pressure" mode. 4. Choose 'Baby Food, in the select button, push Non Pressure Cook button after setting up the time of BABY FOOD for 30minutes. 5. After cooking is completed, mash up it with a rice paddle. When it is hot, mix it with milk.
Sweet Potato & Apple Porridge	50min		Sweet potato 100g, apple 100g, water 3/4cup(135ml) and some honey	1. Peel the skins of apple and sweet potato and cut them into thin slices. 2. Place the ecipe no.1 and with 3./4 cup(135ml) of water in the inner pot 3. Close the lid and turn the handle to "Non pressure" mode. 4. Choose 'Baby Food, in the select button, push Non Pressure Cook button after setting up the time of baby food for 50 minutes. 5. After cooking is completed, mash up it with a rice paddle and mix it with some honey.
Steamed rice and tofu with vegetable	30min	Baby Food	70g of rice, 40g of tofu, 15g of carrot, 15g of young pumplin, 28 egg, 5 tablespoons of milk	1. Mash tofu after removing water from it, chop canot and young pumpkin into fine pieces. 2. Mix egg and milk together. 3. Put rice, tofu, carrot, young pumpkin into the inner pot, pour the mixture of milk and egg, then mix it well. 4. Close the lid and turn the handle to "Non pressure" mode. 5. Select "Baby Food, in the select button, push Non Pressure Cook button after setting up the time of baby food for 30 minutes. 6. Mix it well with a spatula after Baby food is completed.
Soft rice with tuna and vegetable	30min	Marie Carlo	70g of rice, 40g of tuna(can), 15g of bell pepper, 15g of caront, 273 cup of water(120ml), butter, little bit of laver powder	1. Pour out oil from tuna, tear it up into little pieces with chopsticks. 2. Finely chop bell pepper and carrot. 3. Mix rice, tune, bell pepper, and carrot. 4. Spread butter on the bottom of inner pot, put ingredients of 3, and pour water. 5. Olses the lid and tunt the handle to "Non pressure" mode. 6. Select "Baly Food, in the select button, push Non Pressure Cook button after setting up the time of balby food for 30 minutes. 7. Mix it well with a spatula after Baby food is completed.
Vegetable Rice Gruel	40min		Rice 0.5cup(75g), broccoli 30g, water 1.5cup(270ml) and some salt	1. After washing the rice clean and soaking the rice in water for 30 minutes, grind it with broccoi. 2. Put step no.1 and 1.5cup of water in the inner pot. 3. Close the lid and turn the handle to "Non pressure" mode. 4. Choose Baby Food, in select button, push Non Pressure Cook button after setting up the time of Baby food to 40 minutes.